




# Jeep Commander, Ceramic Brake Pad, D1080, 05080868AA, F

## **Basic Information**

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: ALL Model Number: • Minimum Order Quantity: 100 5.00-25.00 • Price: · Packaging Details: export packing • Delivery Time: 30-60

Delivery Time: 30-60
Payment Terms: T/T, LC
Supply Ability: 15 Million



# **Product Specification**

Product Name: Jeep Commander Ceramic Brake Pad

Model: Jeep Commander
Type: Brake Pad
Material: Ceramic
Factory No.: ZK-14003
F/R: F

• FMSI: D1080 • OEM: 05080868AA

Braking System: N

 Highlight: 05080868aa ceramic brake pad, 05080868aa ceramic brake pads

### **Product Description**

Specifications	
Product name	Jeep Commander Ceramic Brake Pad
Model	Commander
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-14003
FMSI	D1080
OEM	05080868AA
Braking System	N
Size	
Width	176mm
Height	57.2mm
Thickness	18mm
Model_MARKE	Beijing Jeep 213 05/Cherokee 05/Chrysler Commander

#### Experience Unmatched Braking with Our Ceramic Brake Pads for Jeep Commander

Ensure your Jeep Commander's safety and performance with our premium ceramic brake pads. Our model D1080 is designed to provide superior stopping power for your vehicle with the OEM part number 05080868AA, suitable for the front axle. **Key Features:** 

Advanced Ceramic Material: Enjoy quieter braking, low dust production, and reduced wear on rotors.

Perfect Compatibility: Tailored specifically for Jeep Commander models, ensuring a perfect fit and easy installation. High-Temperature Resilience: Maintain consistent braking power under various driving conditions with our heat-resistant pads

Safety Assured: Each pad is rigorously tested to meet the highest safety standards, giving you peace of mind on every iournev

Upgrade to our ceramic brake pads and feel the difference in your Jeep Commander's braking responsiveness and durability.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.









