




Suzuki Swift, Ceramic Brake Pad, D451, 55200-61880, F

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Suzuki Swift Ceramic Brake Pad
- ModTouareg SUV(7LA)el: Swift
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-44001
- F/R: F
- FMSI: D451
- OEM: 55200-61880
- Braking System: Sumitomo
- Highlight: **swift ceramic brake pad,
swift ceramic brake pads,
55200-61880 ceramic brake pad**

Product Description

Model: D451 Part Number: 55200-61880 Application: Front Axle Designed specifically for the Suzuki Swift, these ceramic brake pads offer high-temperature stability and exceptional stopping power. They deliver consistent braking performance under various driving conditions, ensuring safety on the road.

Specifications	
Product name	Suzuki Swift Ceramic Brake Pad
Model	Swift
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-25001
FMSI	D451
OEM	55200-61880
Braking System	Sumitomo
Size	
Width	107.3mm
Height	44.6mm
Thickness	14.9mm
Model_MARKE	Changan Lingyang/Changan Benni/Changan CX30/Landwind Fashion/Suzuki Swift (pre-2006)/Wuling Urban Breeze (curved bottom plate)

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

herito® Herito Auto Parts Co., Ltd.



86-533-2906-358



ysun7393@gmail.com



brakepadsset.com

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City,
Shandong Province, China