China OEM

ISO9000

ALL



Mitsubishi V73, Ceramic Brake Pad, D867, 4605A041,

F

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million

Product Specification

 Product Name: 	Mitsubishi V73 Ceramic Brake Pad
ModTouareg SUV(7LA)el:	V73
• Type:	Brake Pad
Material:	Ceramic
 Factory No.: 	ZK-23004
• F/R:	F
• FMSI:	D867
• OEM:	4605A041
 Braking System: 	Sumitomo
Highlight:	mitsubishi ceramic brake pad, mitsubishi ceramic brake pads

Specifications	
Product name	Mitsubishi V73 Ceramic Brake Pad
Model	V73
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-23004
FMSI	D867
OEM	4605A041
Braking System	Sumitomo
Size	
Width	139mm
Height	58.8mm
Thickness	15.4mm
Model_MARKE	Mitsubishi Pajero V73/V77 3.0L

Mitsubishi V73 Ceramic Brake Pads - D867, 4605A041, Front

Ensure the safety and performance of your Mitsubishi V73 with our top-of-the-line ceramic brake pads. Our D867 model is specifically designed to fit the front brake system of your vehicle, providing you with unmatched stopping power and reliability. The 4605A041 brake pads are manufactured using advanced ceramic materials that offer a significant reduction in brake dust and noise, enhancing your driving experience.

These pads are engineered to deliver consistent braking force in various driving conditions, ensuring that you have control when you need it the most. With a focus on longevity and minimal rotor wear, our brake pads will help you maintain the integrity of your vehicle's braking system.

Choose our Mitsubishi V73 Ceramic Brake Pads for a combination of performance, comfort, and peace of mind on every journey.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.



brakepadsset.com

🕓 86-533-2906-358 🛛 🔄 ysl

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China