




Mazda RX-8,Ceramic Brake Pad,D1009,F1Y1-33-23ZB,F

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Mazda RX-8 Ceramic Brake Pad
- Model: Mazda RX-8
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-20022
- F/R: F
- FMSI: D1009
- OEM: F1Y1-33-23ZB
- Braking System: SUM
- Highlight: **sum ceramic brake pad,**
sum ceramic brake pads

for more products please visit us on brakepadsset.com

Product Description

Specifications	
Product name	Mazda RX-8 Ceramic Brake Pad
Model	Mazda RX-8
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-20022
FMSI	D1009
OEM	F1Y1-33-23ZB
Braking System	SUM
Size	
Width	138 mm
Height	62.2 mm
Thickness	17.1 mm
Model_MARKE	Mazda RX-8

Upgrade your Mazda RX-8's braking performance with our premium Ceramic Brake Pads, model D1009. These high-quality brake pads are designed to provide superior stopping power for your vehicle. With a precise fit for models using part numbers F1Y1-33-23ZB and F1Y1-33-28ZA, our brake pads ensure a smooth, vibration-free stop and exceptional longevity. Our Ceramic Brake Pads are engineered to reduce brake dust and noise, offering a cleaner and quieter driving experience. The advanced ceramic formula allows for consistent braking throughout the pad's life and is less abrasive on the rotor compared to traditional pads. Experience the difference in your Mazda RX-8 with our Ceramic Brake Pads, and enjoy a more responsive and reliable braking system.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

herito® Herito Auto Parts Co., Ltd.

☎ 86-533-2906-358

✉ ysun7393@gmail.com

🌐 brakepadsset.com

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China