China OEM

ISO9000

ALL



## Mitsubishi Impreza, Ceramic Brake Pad, D1016, 3064513-52, F

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



## **Product Specification**

•	Highlight:	mitsubishi ceramic brake pad, mitsubishi ceramic brake pads, sum ceramic brake pad
	Braking System:	SUM
	Broking Systems	SLIM
	OEM:	3064513-52
•	FMSI:	D1016
	F/R:	F
•	Factory No.:	ZK-24008
•	Material:	Ceramic
•	Туре:	Brake Pad
•	Model:	Mitsubishi Impreza
•	Product Name:	Mitsubishi Impreza Ceramic Brake Pad

	Specifications
Product name	Mitsubishi Impreza Ceramic Brake Pad
Model	Mitsubishi Impreza
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-24008
FMSI	D1016
OEM	3064513-52
Braking System	SUM
Size	
Width	138 mm
Height	62.2 mm
Thickness	17.1 mm
	Mitsubishi Impreza
Model_MARKE	
1	

## Elevate Your Mitsubishi Impreza's Drive with Our D1016 Ceramic Brake Pads

Upgrade your Mitsubishi Impreza's braking system with our state-of-the-art D1016 ceramic brake pads. Tailored to fit the unique specifications of your Impreza, these pads ensure a flawless fit and optimal performance. The part number **3064513-52** is your assurance of a product that meets and exceeds OEM standards.

Our ceramic brake pads are designed for longevity and durability, providing you with a quieter, cleaner braking experience. They are engineered to reduce brake dust and noise, while offering a consistent, responsive feel under various driving conditions.

Choose our D1016 ceramic brake pads for your Mitsubishi Impreza and experience a noticeable improvement in braking performance and comfort.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.



86-533-2906-358

ysun7393@gmail.com

brakepadsset.com

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China