




# Hyundai Accent, Ceramic Brake Pad, D1156, 58101-1GA00, F

## **Basic Information**

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: ALL Model Number: • Minimum Order Quantity: 100 5.00-25.00 • Price: · Packaging Details: export packing • Delivery Time: 30-60

Delivery Time: 30-60
Payment Terms: T/T, LC
Supply Ability: 15 Million



# **Product Specification**

Product Name: Hyundai Accent Ceramic Brake Pad

Model: Hyundai Accent
Type: Brake Pad
Material: Ceramic
Factory No.: ZK-28008
F/R: F
FMSI: D1156
OEM: 58101-1GA00

Braking System: MDO

• Highlight: 58101-1ga00 ceramic brake pad,

58101-1ga00 ceramic brake pads

## **Product Description**

	Specifications
Product name	Hyundai Accent Ceramic Brake Pad
Model	Hyundai Accent
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-28008
FMSI	D1156
OEM	58101-1GA00
Braking System	MDO
	Size
Width	129.8 mm
Height	56.4 mm
Thickness	16.9 mm
Model_MARKE	Hyundai Accent 1.4L/1.6L// Kia Rio 1.4L/1.6L

### Hyundai Accent Ceramic Brake Pads (D1156, 58101-1GA00)

Upgrade your Hyundai Accent's braking performance with our premium ceramic brake pads. Designed to fit models from 2005 to 2011, our brake pads provide superior stopping power and reduced brake dust. The D1156 pad set, part number 58101-1GA00, ensures a direct replacement for your vehicle's front disc brakes, offering a quiet, durable, and low-wear solution to your braking needs.

#### Features:

Enhanced Durability: Long-lasting ceramic material reduces wear on rotors.

Quiet Operation: Engineered to eliminate noise for a smoother ride. Improved Safety: Exceptional stopping power for increased safety.

Easy Installation: Comes with everything needed for a hassle-free installation.

Ensure your Hyundai Accent maintains optimal braking performance with our reliable ceramic brake pads.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.





86-533-2906-358



ysun7393@gmail.com



