




Ceramic Rear Brake Pads Replacement 44060-8H385 Renault Koleos Brake Pads / X-Trail

Basic Information

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: Model Number: ALL • Minimum Order Quantity: 100 • Price: 5.00-25.00 · Packaging Details: export packing • Delivery Time: 30-60

Delivery Time: 30-60
Payment Terms: T/T, LC
Supply Ability: 15 Million



Product Specification

Product Name: Renault Koleos/X-Trail Ceramic Brake Pad

Model: Renault Koleos/X-Trail

Type: Brake Pad
 Material: Ceramic
 Factory No.: ZK-19002
 F/R: R
 FMSI: D1288
 OEM: 44060-8H385

Braking System: AKB

Highlight: Ceramic Rear Brake Pads Replacement,

Paracit Makes Parks Pads Access Street

Renault Koleos Brake Pads, 44060-8H385

Product Description

	Specifications
Product name	Renault Koleos/X-Trail Ceramic Brake Pad
Model	Renault Koleos/X-Trail
Туре	Brake Pad
Material	Ceramic
F/R	R
Factory No.	ZK-19002
FMSI	D1288
OEM	44060-8H385
Braking System	AKB
	Size
Width	105.4 mm
Height	37.85 mm
Thickness	13.7 mm
Model_MARKE	Koleos/ New X-Trail/ X-Trail/ FX35/ Qashqai/ Grand Vitara/ Haima S5

The Ceramic Brake Pad for Renault Koleos/X-Trail, model D1288, OEM part number 44060-8H385, R, is made with high-quality ceramic composite material, offering stable and robust braking power. With low thermal conductivity and high thermal stability, it maintains a consistent friction coefficient even under extreme driving conditions, ensuring safe and reliable braking performance. The wear-resistant and noise-reducing design provides smooth braking for Renault Koleos/X-Trail on any terrain.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.


Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

herito* Herito Auto Parts Co., Ltd.





ysun7393@gmail.com



brakepadsset.com