



Volvo Xc60 Rear Brake Pads Ceramic Brake Pad D1307 / 1426143

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Volvo XC60 Ceramic Brake Pad
- Model: Volvo XC60
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-25006
- F/R: R
- FMSI: D1307
- OEM: 1426143
- Braking System: TRW
- Highlight: **Ceramic volvo xc60 rear brake pads, 1426143 volvo xc60 rear brake pads, 1426143**

for more products please visit us on brakepadsset.com

Product Description

Specifications	
Product name	Volvo XC60 Ceramic Brake Pad
Model	Volvo XC60
Type	Brake Pad
Material	Ceramic
F/R	R
Factory No.	ZK-25006
FMSI	D1307
OEM	1426143
Braking System	TRW
Size	
Width	106.7 mm
Height	49 mm
Thickness	15.4 mm
Model_MARKE	2008 Ford Mondeo Zhisheng/ S-MAX/ 2007 Volvo S80/ Range Rover Evoque/ Trumpchi GX5/ 2018 Ei5

The Ceramic Brake Pad D1307, with product code 1426143, is specifically engineered for the Volvo XC60 model, offering an optimal braking solution for those who demand superior performance. Made with premium ceramic materials, it delivers consistent and powerful braking force across various driving scenarios. Its noise-reduction design significantly lowers noise levels during operation, enhancing your driving experience, and safeguarding you and your loved ones.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

herito® Herito Auto Parts Co., Ltd.



86-533-2906-358



ysun7393@gmail.com



brakepadsset.com

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China