China

OEM

ALL

ISO9000



E260 Mercedes Benz Brake Pad Replacement Ceramic Brake Pad D1342, 005 420 10 20

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million

Product Specification

• Highlight:	E260 mercedes benz brake pad, 005 420 10 20 mercedes benz brake pad replacement , 005 420 10 20 ceramic brake pad
 Braking System: 	TRW
• OEM:	005 420 10 20
• FMSI:	D1342
• F/R:	F
 Factory No.: 	ZK-03029
Material:	Ceramic
• Туре:	Brake Pad
• Model:	Mercedes-Benz E260
 Product Name: 	Mercedes-Benz E260 Ceramic Brake Pad

	Specifications		
Product name	Mercedes-Benz E260 Ceramic Brake Pad		
Model	Mercedes-Benz E260		
Туре	Brake Pad		
Material	Ceramic		
F/R	F		
Factory No.	ZK-03029		
FMSI	D1342		
OEM	005 420 10 20		
Braking System	TRW		
	Size		
Width	188 mm		
Height	80 mm		
Thickness	18.4 mm		
	W204/W212/W211		
Model_MARKE			

Elevate your driving experience with the Mercedes-Benz E260 by choosing the high-performance D1342 Ceramic Brake Pads. Designed specifically for the front axle (F) with part number 005 420 10 20, these brake pads utilize advanced ceramic materials to ensure stability and quietness during braking. Whether navigating through busy city streets or cruising on the highway, the D1342 brake pads deliver exceptional braking response and enduring durability, instilling confidence in every journey.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

