China OEM

ISO9000


ALL



## 30793943 Volvo Xc60 Front Brake Pad Replacement Teves Braking System

## Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



## **Product Specification**

Product Name:	Volvo XC60 Ceramic Brake Pad
Model:	Volvo XC60
• Туре:	Brake Pad
<ul> <li>Material:</li> </ul>	Ceramic
<ul> <li>Factory No.:</li> </ul>	ZK-25005
• F/R:	F
• FMSI:	D1412
• OEM:	30793943
<ul> <li>Braking System:</li> </ul>	Teves
<ul> <li>Highlight:</li> </ul>	30793943, 30793943 volvo xc60 front brake pad replacement , volvo xc60 front brake pads 30793943

Our Product Introduction

	Specifications
Product name	Volvo XC60 Brake Pad
Model	Volvo XC60
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-25005
FMSI	D1412
OEM	30793943
Braking System	Teves
1	Size
Width	193.2 mm
Height	76.2 mm
Thickness	19.1 mm
Model_MARKE -	Volvo (Hao) XC60 SUV 2008/05-

Opt for the high-performance D1412 ceramic brake pads with part number 30793943 for your Volvo XC60, and experience superior braking and lasting durability. This front wheel brake pad kit utilizes advanced ceramic technology to deliver consistent and powerful stopping power across various driving conditions, ensuring your safety on the road. Whether in urban congestion or rural pathways, our brake pads provide reliable performance, making your driving journey smoother and more secure.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

herito Auto Parts Co., Ltd.

 $\Box$ 

86-533-2906-358

ysun7393@gmail.com

brakepadsset.com

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China