China OEM

ISO9000

ALL



Chrysler 2013 Grand Voyager/ Journey (Import) Ceramic Brake Pad 7B0 698 151 G

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million

Product Specification

Product Name:	Chrysler 2013 Grand Voyager/ Journey (Import) Ceramic Brake Pad
• Model:	Chrysler 2013 Grand Voyager/ Journey (Import)
• Type:	Brake Pad
• Material:	Ceramic
 Factory No.: 	ZK-15009
• F/R:	F
• FMSI:	D1589
• OEM:	7B0 698 151 G
 Braking System: 	Ν
Highlight:	Chrysler 2013 ceramic brake pad, Journey ceramic brake pad, 7B0 698 151 G

	Specifications
Product name	Chrysler 2013 Grand Voyager/ Journey (Import) Brake Pad
Model	Chrysler 2013 Grand Voyager/ Journey (Import)
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-15009
FMSI	D1589
OEM	7B0 698 151 G
Braking System	N
	Size
Width	183.1 mm
Height	63.2 mm
Thickness	18.1 mm
Model_MARKE	Chrysler 2013 Grand Voyager/ Journey (Import)

Front Axle Brake Pads for the 2013 Chrysler Grand Voyager/Journey (Import), model D1589, part number 7B0 698 151 G, are crafted with high manufacturing standards to ensure superior braking performance and durability. With a width of 183.1 mm, height of 63.2 mm, and thickness of 18.1 mm, these brake pads are compatible with various models including Chrysler, Dodge, and Fiat, making them a trustworthy component for your vehicle's braking system.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35, coupled with heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

