




Audi 100 Ceramic Brake Pad 443698151C Lucas Audi Front Brake Pads

Basic Information

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: ALL Model Number: • Minimum Order Quantity: 100 • Price: 5.00-25.00 · Packaging Details: export packing • Delivery Time: 30-60

Delivery Time: 30-60
Payment Terms: T/T, LC
Supply Ability: 15 Million



Product Specification

• Braking System:

Product Name: Audi 100 Ceramic Brake Pad

Model: Audi 100
 Type: Brake Pad
 Material: Ceramic
 Factory No.: ZK-02001
 F/R: F
 FMSI: D290
 OEM: 443698151C

Highlight: Audi 100 ceramic brake pad,
 Audi 100 Front Brake Pads,

Lucas

443698151C Audi Front Brake Pads

Product Description

Specifications	
Product name	Audi 100 Brake Pad
Model	Audi 100
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-02001
FMSI	D290
OEM	443698151C
Braking System	Lucas
Size	
Width	119.4 mm
Height	69.5 mm
Thickness	19.2 mm
Model_MARKE	Santana Poussin (Old Model)/ B2 (-98)/ Old Jetta

Discover the ultimate performance with the Audi 100 Brake Pads, part number 443698151C. These premium ceramic brake pads are designed to provide your Audi 100 with exceptional stopping power and durability. The D290 model brake pads are crafted for the front axle, ensuring a precise fit and optimal braking performance. With a focus on quality and compatibility, these brake pads offer a quieter, smoother braking experience, reducing brake dust and extending the life of your brake system. Trust in the excellence of genuine parts to maintain the safety and efficiency of your Volkswagen Audi 100.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.





86-533-2906-358



ysun7393@gmail.com



