




## Fiat Palio,Ceramic Brake Pad,D350,5882984,F

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



### Product Specification

- Product Name: Fiat Palio Ceramic Brake Pad
- Model: Fiat Palio
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-30006
- F/R: F
- FMSI: D350
- OEM: 5882984
- Braking System: ATE
- Highlight: ate ceramic brake pad, ate ceramic brake pads

for more products please visit us on [brakepadsset.com](http://brakepadsset.com)

## Product Description

Specifications	
Product name	Fiat Palio Brake Pad
Model	Fiat Palio
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-30006
FMSI	D350
OEM	5882984
Braking System	ATE
Size	
Width	151.3 mm
Height	49.2 mm
Thickness	18 mm
Model_MARKE	Fiat Palio 1.3 Hatchback/ (Three-prong)

Fiat Palio Ceramic Brake Pads (D350, 5882984, F) Elevate your Fiat Palio's braking system with our state-of-the-art ceramic brake pads. The D350 model is precision-engineered to align with the original equipment manufacturer's (OEM) standards, ensuring a flawless fit for your Fiat Palio. The part number 5882984 represents our pledge to uphold the highest standards of quality and compatibility.

Our ceramic brake pads are designed to deliver exceptional stopping power, enhanced durability, and reduced brake noise and dust. This translates to a cleaner, quieter, and more enjoyable driving experience. They are robust enough to handle diverse driving environments, providing dependable braking performance when you need it most.

Opt for our ceramic brake pads for your Fiat Palio and experience a noticeable improvement in braking responsiveness and safety on the road.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

