Chrysler Dodge Dynasty,Ceramic Brake Pad,D564,43022-ST3-E00,F

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Chrysler Dodge Dynasty Ceramic Brake Pad
- Model: Chrysler Dodge Dynasty
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-15007
- F/R: F
- FMSI: D591
- OEM: 101 889S
- Braking System: KHY
- Highlight: **43022-st3-e00 ceramic brake pad**, **43022-st3-e00 ceramic brake pads**, **101 889s ceramic brake pad**

Our Product Introduction

for more products please visit us on brakepadsset.com

Product Description

Specifications	
Product name	Chrysler Dodge Dynasty Brake Pad
Model	Chrysler Dodge Dynasty
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-15007
FMSI	D591
OEM	101 889S
Braking System	KHY
Size	
Width	165.1 mm
Height	51.8 mm
Thickness	15.9 mm
Model_MARKE	Dodge Caravan 3.3L (96 model)/ Jiefang Small Van/ Chrysler LHS (94 model)/ Dodge Dynasty 3.5L/ Chrysler M3

Chrysler Dodge Dynasty Ceramic Brake Pads (D564, 43022-ST3-E00)
Upgrade your Chrysler Dodge Dynasty's braking performance with our premium ceramic brake pads. Engineered for durability and superior stopping power, our D564 model brake pads offer a perfect fit for your vehicle's specific requirements. The OEM part number 43022-ST3-E00 ensures compatibility with your car's braking system, providing you with peace of mind and a smoother, quieter ride.
Our ceramic brake pads are designed to reduce brake dust and eliminate noise, giving you a clean and silent operation. With a focus on safety and reliability, these brake pads undergo rigorous testing to meet the highest industry standards. Experience the difference in your daily commute or during those spirited drives with our top-of-the-line ceramic brake pads.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.
The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.
Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.
Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.
Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.
Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.
Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.
Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.
Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.
Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.
Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

202, Minxiang Road, Sibaoshan Private Science and Technology Industrial Park, High-tech Zone, Zibo City, Shandong Province, China