



# Buick Regal/ GL8, Ceramic Brake Pad, D699, 18024962, F

### **Basic Information**

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: Model Number: ALL Minimum Order Quantity: 100 5.00-25.00 • Price: · Packaging Details: export packing • Delivery Time: 30-60 • Payment Terms: T/T, LC



## **Product Specification**

. Supply Ability:

Model:

Product Name: Buick Regal/ GL8 Ceramic Brake Pad

Buick Regal/ GL8

15 Million

Type: Brake Pad
Material: Ceramic
Factory No.: ZK-06001
F/R: F
FMSI: D699
OEM: 18024962
Braking System: WAG

• Highlight: gl8 ceramic brake pad, gl8 ceramic brake pads,

buick regal ceramic brake pad

#### **Product Description**

	Specifications
Product name	Buick Regal/ GL8 Brake Pad
Model	Buick Regal/ GL8
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-06001
FMSI	D699
OEM	18024962
Braking System	WAG
	Size
Width	147.9 mm
Height	61.1 mm
Thickness	17.0 mm
Model_MARKE	Buick Regal/ New Century (New/Old model)// GL8 (01-06)

#### Enhance Your Drive with Buick Regal/GL8 Ceramic Brake Pads (D699, 18024962, F)

Experience the ultimate in braking technology with our Ceramic Brake Pads designed specifically for the Buick Regal and GL8. Our D699 model, part number 18024962, offers a significant upgrade over standard pads, providing you with unmatched stopping power and reliability. These brake pads are crafted from high-quality ceramic materials that ensure reduced brake dust and noise, giving you a cleaner and quieter ride. The 'F' rating signifies their superior friction performance, making them an excellent choice for drivers who demand the best in safety and comfort. Install our Ceramic Brake Pads and enjoy a smoother, more responsive braking experience in your Buick vehicle.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.





86-533-2906-358



ysun7393@gmail.com



