




Ceramic 1634200320 Mercedes Benz Brake Pad Mercedes-Benz W163

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Mercedes-Benz W163 Ceramic Brake Pad
- Model: Mercedes-Benz W163
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-03001
- F/R: F
- FMSI: D760
- OEM: 1634200320
- Braking System: Brembo
- Highlight: **1634200320 mercedes benz brake pad,**
W163 mercedes benz brake pad,
1634200320 mercedes benz front brake pads

for more products please visit us on brakepadsset.com

Product Description

Specifications	
Product name	Mercedes-Benz W163 Brake Pad
Model	Mercedes-Benz W163
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-03001
FMSI	D760
OEM	1634200320
Braking System	N
Size	
Width	188 mm
Height	58.9 mm
Thickness	15.6 mm
Model_MARKE	W163(1998-2005)

Mercedes-Benz W163 Ceramic Brake Pads: Optimal Performance and Durability (D760, 1634200320, F)

Elevate your driving experience with our Ceramic Brake Pads designed for the Mercedes-Benz W163 series. Our D760 model brake pads are engineered to provide the perfect balance between performance and longevity. With the OEM part number 1634200320, these pads ensure a precise fit for models such as ML320, ML350, and ML430. The 'F' grade signifies their high friction coefficient, offering superior stopping power without sacrificing comfort. These brake pads are crafted to reduce noise and brake dust, enhancing your vehicle's cleanliness and driving pleasure. Trust in our Ceramic Brake Pads for a safer, more responsive braking experience in your Mercedes-Benz.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

