




Chrysler PT Cruiser, Ceramic Brake Pad, D841, 5017843AA, F

Basic Information

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: ALL Model Number: • Minimum Order Quantity: 100 5.00-25.00 • Price: Packaging Details: export packing • Delivery Time: 30-60

• Payment Terms: T/T, LC . Supply Ability: 15 Million



Product Specification

Type:

• Product Name: Chrysler PT Cruiser Ceramic Brake Pad

Brake Pad

Model: Chrysler PT Cruiser

Ceramic Material: ZK-15003 • Factory No.: • F/R: • FMSI: D841 5017843AA • OEM: • Braking System: GRL

• Highlight: 5017843aa ceramic brake pad,

5017843aa ceramic brake pads

Product Description

	Specifications
Product name	Chrysler PT Cruiser Brake Pad
Model	Chrysler PT Cruiser
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-15003
FMSI	D841
OEM	5017843AA
Braking System	GRL
	Size
Width	123.9 mm
Height	64.51 mm
Thickness	19.3 mm
	Chrysler PT Cruiser
Model_MARKE	

Chrysler PT Cruiser Ceramic Brake Pads (D841, 5017843AA, F)

Upgrade your Chrysler PT Cruiser's braking performance with our premium ceramic brake pads. Designed specifically for the PT Cruiser, our brake pads offer a perfect fit for models equipped with part numbers D841 and 5017843AA. These high-quality ceramic pads provide superior stopping power, reduced dust, and quieter operation compared to traditional materials. Our brake pads are engineered to match the performance of your PT Cruiser's original equipment, ensuring a seamless integration and enhanced safety. The ceramic composition also means less wear on your rotors, extending their lifespan and saving you money in the long run.

Whether you're navigating city streets or cruising on the highway, you can trust our ceramic brake pads to deliver reliable braking every time. Experience the difference in your ride's handling and comfort with our Chrysler PT Cruiser Ceramic Brake Pads.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.





86-533-2906-358



ysun7393@gmail.com



