




Hyundai Santa Fe, Ceramic Brake Pad, D864, 58101-26A00, F

Basic Information

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: ALL Model Number: • Minimum Order Quantity: 100 5.00-25.00 • Price: Packaging Details: export packing • Delivery Time: 30-60



Payment Terms: T/T, LC
Supply Ability: 15 Million

Product Specification

Product Name: Hyundai Santa Fe Ceramic Brake Pad

Model: Hyundai Santa Fe
Type: Brake Pad
Material: Ceramic
Factory No.: ZK-28020
F/R: F
FMSI: D864
OEM: 58101-26A00

Braking System: MDO

• Highlight: 58101-26a00 ceramic brake pad,

58101-26a00 ceramic brake pads

Product Description

Specifications	
Product name	Hyundai Santa Fe Gen-2 Brake Pad
Model	Hyundai Santa Fe
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-28020
FMSI	D864
OEM	58101-26A00
Braking System	MDO
Size	
Width	149.1 mm
Height	58.2 mm
Thickness	16.4 mm
Model_MARKE	(Pre-07) Santa Fe/ (Post-03) Carnival/ Ruijing/ Ruijing/ BAIC Huansu/ Roewe W5/ Landwind X8/ Hanteng X7/ 2017 Zotye T700

Hyundai Santa Fe Ceramic Brake Pads (D864, 58101-26A00, F)

Elevate the safety and performance of your Hyundai Santa Fe with our superior ceramic brake pads. Our D864 model is the ideal replacement for the OEM part number 58101-26A00, ensuring a flawless fit for your vehicle. These front-position brake pads are crafted from high-grade ceramic material, offering enhanced stopping power and a quieter braking experience. The ceramic composition significantly reduces brake dust, maintaining the cleanliness of your wheels and preserving the overall look of your Santa Fe. Additionally, these pads are gentle on the rotors, reducing wear and extending the lifespan of your brake system.

Suitable for Hyundai Santa Fe models from 2000 to 2006, our brake pads provide reliable performance in all driving conditions. Opt for our Hyundai Santa Fe Ceramic Brake Pads for a smooth, responsive, and safe driving experience.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.









Shandong Province, China