



Renault Koleos, Ceramic Brake Pad, D888, 41060-AR090, F

Basic Information

. Place of Origin: China . Brand Name: OEM ISO9000 · Certification: Model Number: ALL • Minimum Order Quantity: 100 5.00-25.00 • Price: · Packaging Details: export packing • Delivery Time: 30-60

Delivery Time: 30-60
Payment Terms: T/T, LC
Supply Ability: 15 Million



Product Specification

• Braking System:

Product Name: Renault Koleos Ceramic Brake Pad

Model: Renault Koleos
 Type: Brake Pad
 Material: Ceramic
 Factory No.: ZK-19001
 F/R: F
 FMSI: D888
 OEM: 41060-AR090

Highlight: 41060-ar090 ceramic brake pad,
 41060-ar090 ceramic brake pads,

Sumitomo

renault koleos ceramic brake pad

Product Description

Specifications	
Product name	Renault Koleos Brake Pad
Model	Renault Koleos
Туре	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-19001
FMSI	D888
OEM	41060-AR090
Braking System	Sumitomo
Size	
Width	157 mm
Height	58.5 mm
Thickness	15.9 mm
Model_MARKE	Infiniti Q45 (02-05 models)/ Renault Koleos/ 2005 FX35

Renault Koleos Ceramic Brake Pads - Model D864 (41060-AR090)

Introducing the ultimate solution for your Renault Koleos braking needs: our Model D864 ceramic brake pads. These pads are engineered to provide a perfect balance between performance and durability, ensuring your Koleos stops smoothly and efficiently every time. The use of advanced ceramic materials reduces noise and brake dust, leading to a cleaner and quieter driving experience.

Key Features:

Precision Fit: Designed to match the exact specifications of the Renault Koleos for seamless installation.

High Performance: Superior stopping power with reduced fade, even under intense driving conditions.

Low Dust and Noise: Keep your wheels pristine and enjoy silent stops thanks to the ceramic formulation.

Enhanced Longevity: Experience a longer service life compared to traditional pads, reducing maintenance frequency. Equip your Renault Koleos with our ceramic brake pads and enjoy a significant upgrade in braking performance and comfort.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.









