



Sumitomo Volkswagen Touareg Front Ceramic Brake Pads 95535293900

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: OEM
- Certification: ISO9000
- Model Number: ALL
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T,LC
- Supply Ability: 15 Million



Product Specification

- Product Name: Volkswagen Touareg Ceramic Brake Pad
- Model: Volkswagen Touareg
- Type: Brake Pad
- Material: Ceramic
- Factory No.: ZK-01014
- F/R: F
- FMSI: D978
- OEM: 95535293900
- Braking System: Sumitomo
- Highlight: **95535293900 front ceramic brake pads,**
95535293900 sumitomo brake pad,
VW Touareg sumitomo brake pad

Product Description

Specifications	
Product name	Volkswagen Touareg Brake Pad
Model	Volkswagen Touareg
Type	Brake Pad
Material	Ceramic
F/R	F
Factory No.	ZK-01014
FMSI	D978
OEM	95535293900
Braking System	Brembo
Size	
Width	112 mm
Height	73 mm
Thickness	15.4 mm
Model_MARKE	Touareg 4.2L/ V6/ Audi Q7/ Porsche Cayenne V6/ V8

Product Description:

Enhance your Volkswagen Touareg's braking performance with our premium Ceramic Brake Pads. Designed specifically for the Touareg model, these brake pads offer a perfect fit for the part number D978 (95535293900). Our Ceramic Brake Pads provide superior stopping power, reduced dust, and quieter operation, ensuring a safer and more comfortable driving experience.

Crafted from high-quality ceramic materials, these pads are engineered to withstand extreme temperatures and provide long-lasting durability. The low-dust formula keeps your wheels cleaner, while the precision-cut design ensures a smooth, vibration-free ride. Suitable for the Volkswagen Touareg, these brake pads are an essential upgrade for any driver seeking improved brake response and reliability.

Upgrade to our Ceramic Brake Pads and experience the difference in your Volkswagen Touareg's braking system today.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.

