China OEM

ISO9000

15 Million


ALL



Buick Regal/ GL8,Ceramic Brake Pad,D698,12510016,R

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100
- Price: 5.00-25.00
- Packaging Details: export packing
- Delivery Time: 30-60
- Payment Terms: T/T, LC
- Supply Ability:



Product Specification

 Product Name: 	Buick Regal/ GL8 Ceramic Brake Pad
• Model:	Buick Regal/ GL8
• Type:	Brake Pad
 Material: 	Ceramic
 Factory No.: 	ZK-06002
• F/R:	R
• FMSI:	D698
• OEM:	12510016
 Braking System: 	AKB
• Highlight:	gl8 ceramic brake pad, gl8 ceramic brake pads, 12510016 ceramic brake pad

	Specifications
Product name	Buick Regal/ GL8 Brake Pad
Model	Buick Regal/ GL8
Туре	Brake Pad
Material	Ceramic
F/R	R
Factory No.	ZK-06002
FMSI	D698
OEM	12510016
Braking System	АКВ
	Size
Width	108 mm
Height	41 mm
Thickness	15 mm
Model_MARKE	Buick Regal/ New Century (New/Old model)/ GL8 (01-06)/ Karry Youyou/ Galant

Buick Regal/GL8 Ceramic Brake Pads (D698, 12510016,R)

Upgrade your Buick Regal or GL8's braking performance with our premium ceramic brake pads. Engineered for durability and superior stopping power, our D698 series brake pads offer a perfect blend of quality and value. The 12510016 model is designed to reduce brake dust and noise, providing a quieter and cleaner driving experience. With a precise fit for easy installation, these brake pads are an ideal choice for maintaining the safety and efficiency of your vehicle's braking system. Trust in our commitment to excellence and drive with confidence.

Our ceramic brake pads, crafted from a specially formulated ceramic blend, showcase exceptional performance owing to their unique material composition.

The manufacturing process adheres to the rigorous standards of international certification IATF-16949, ensuring the utmost reliability in product quality.

Withstanding temperatures of up to 640°C, our ceramic brake pads offer a reliable safeguard for braking needs under diverse driving conditions.

Employing original high-precision molds and specialized heat treatment techniques, we guarantee the precision and stability of our products.

Addressing brake squeal concerns, our pads boast a friction coefficient of PS 0.35 and heat resistance up to 640°C, maintaining outstanding braking performance even in high-temperature environments. This prolongs lifespan and effectively resolves brake squeal issues.

Prioritizing safety and comfort, our stable friction coefficient preserves brake disc integrity, while the comfortable pedal feel and low-noise design enhance driving pleasure and reduce environmental pollution.

Featuring unique chamfered edges, our pads not only reduce braking noise but also enhance compatibility with counterpart components, further elevating braking performance.

Exceptional heat dissipation performance is achieved through high-temperature and high-pressure burnishing, reducing bedding-in periods and minimizing noise occurrences, thereby enhancing pad cooling efficiency and ensuring braking stability and safety.

Designed for lightweight, our ceramic brake pads, compared to traditional metal ones, effectively reduce vehicle load, improving fuel economy and power performance.

Minimizing brake dust, our ceramic brake pads produce less dust compared to their metal counterparts, making them environmentally friendly and less intrusive to the cleanliness of the vehicle surroundings and wheels.

86-533-2906-358

Quality assurance is paramount to us. Through stringent quality controls and continuous research and development efforts, we ensure the stability and reliability of each ceramic brake pad, earning the trust and acclaim of our users.



Shandong Province, China